




SNAKES & LADDERS - WATER SAFETY PLAN VERSION

Background

'Water Safety Pan (WSP) Snakes & Ladders' was developed from 'sanitation snakes & ladders', as part of a pilot Water Safety Plan (WSP) implementation in a rural Terai (plain) community of Chitwan District, Nepal. In this community drinking water is from point sources (hand-dug wells or bore wells). Many families also use a household biosand filter and disinfection is suggested to ensure minimum risk. The drinking water process flow diagram for this village is shown in the figure below.



'WSP Snakes & Ladders' was developed according to the hazards identified and hazard control measures developed for this particular community. The game could easily be adapted to any drinking water system or community, ensuring that the hazards and control measures are locally appropriate.





<u>Rules</u>

Each player needs a marker to show their position on the board. The winner of the game is the player who's marker reaches the 'FINISH' square first.						
One dice is required for play. Players should take turns to roll the dice and move their marker ahead the number of squares shown on the top of the dice after being rolled.						
If a player lands on a square at the lower end of a ladder, they must move their marker to the square at the top of the ladder.						
If a player lands on a square at the upper end of a snake, they must move their marker to the square at the lower end of the ladder.						





WATER SAFETY PLAN GAME - SNAKES & LADDERS											
139	138	137	136	135	134	133	132	131	130		
FINISH		Drinking untreated water		日日	Not washing hands after using toile*					7. Use	
120	121	122	123 Washing hands before collecting	124	125 Pouring wate	126	127	128 Scooping water from storage	129	7.036	
H			water	Ц	container	₽		container			
119	118 Storage located on the ground	117	116	Ħ	114 Storage container disinfected with	113	112	111	110 Storage container		
100	101	102	103	104	chlorine 105	106	17	108	uncovered 109	6. Household Storage	
H	Storage same containter as collection	- F	orage located in a clean elevated	H	Storage container cleaned properly		XX		100	Storage	
99 Use SODIS for 6- 8 hours after filtering	98	97	96	95	94	93 Add chlorine to water after filtering	92	91	90	5. Disinfection	
80	81	82	83	84 Boil water and covered cooling	85	86 Purchase chlorine. ROLL AGAIN	87	88	89		
79	78	77	76	75	74	73	72	71	70		
Chlorine added to biosand filter		1	Clean biosand filter		Pour into filter without diffuser in place	L	7	Biosand filter used twice within 1 hour		4. Filtration (Biosand filter)	
60	61 Biosand filter hody leaking	62	63 When not used, water level is 5cm above sand	64 H	65	Use biosand filter	67	68 Filter located outside in unsteady	69		
59	58	57	56 Container used for contaminated	55	54	53	52 Transport container uncovered	51	50		
40	41	42 Transport container cleaned	43	44	45 Container stored elevated & covered	46	47	48	49	3. Transport	
39 Handpump and well maintained by caretaker	38	37	36	35	34 Handpump broken, so rope & bucket us	33	32 Contribute money for well and pump	31	30	2. Source	
20	21	22	23	24 Contaminated water used to prime pump	25	26	maintenance 27 Well-head cracked or not sealed	28	29	(Well)	
19	18 Water ponding in arear around well	17	Animal kept close to yell	15	14	13	12	11 Close latrine leads to "sinfection ar filtering	10	1. Catchment	
o START	1	2	3	4 Remove a latrine from close to well	5	6 Extend drainage 5m to soak pit	7	8	9	(Surrounding area)	